



Orica Kooragang Island Monitoring Point 8

Details of Licence Conditions

EPA Licence No: 828
 Link to full licence on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=32838&SYSUID=1&LICID=828>

Licensee Name: ORICA AUSTRALIA PTY LTD
 Licensee Address: 15 Greenleaf Rd, KOORAGANG NSW 2304
 Location of Monitoring Points: http://www.orica.com/images/UserUploadedImages/495/2013_Orica-KI_monitoring_locations.jpg

Monthly Summary

Sampling/Monitoring Period	Monitoring Point	Location of Monitoring Point	Date Published	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	No. of Times measured during month	Min. Value	Mean Value	Median Value	Max Value
May-15	8	Fullerton St	12/06/15	TSP	ug/m3	Every 6 Days	5	58.0	76.4	78.1	95.1
Apr-15	8	Fullerton St	11/05/15	TSP	ug/m3	Every 6 Days	5	27.4	44.7	40.2	73.8
Mar-15	8	Fullerton St	10/04/15	TSP	ug/m3	Every 6 Days	5	37.9	80.7	78.0	156.0
Feb-15	8	Fullerton St	18/03/15	TSP	ug/m3	Every 6 Days	5	46.0	71.9	79.7	88.8
Jan-15	8	Fullerton St	11/02/15	TSP	ug/m3	Every 6 Days	5	42.5	56.1	54.5	70.2
Dec-14	8	Fullerton St	8/01/15	TSP	ug/m ³	Every 6 Days	5	36.4	56.9	48.3	97.5
Nov-14	8	Fullerton St	11/12/14	TSP	ug/m ³	Every 6 Days	5	52.6	74.9	76.0	97.6
Oct-14	8	Fullerton St	12/11/14	TSP	ug/m ³	Every 6 Days	5	53.0	88.8	82.1	166.2
Sep-14	8	Fullerton St	8/10/14	TSP	ug/m ³	Every 6 Days	5	43.2	59.5	60.2	73.9
Aug-14	8	Fullerton St	5/09/14	TSP	ug/m ³	Every 6 Days	5	12.7	37.8	40.7	50.1
Jul-14	8	Fullerton St	11/08/14	TSP	ug/m ³	Every 6 Days	5	33.5	63.9	79.3	82.6
Jun-14	8	Fullerton St	21/07/14	TSP	ug/m ³	Every 6 Days	5	41.8	51.4	47.3	74.6
May-14	8	Fullerton St	5/06/14	TSP	ug/m ³	Every 6 Days	5	31.8	49.0	48.0	70.6
Apr-14	8	Fullerton St	14/04/14	TSP	ug/m ³	Every 6 Days	5	42.6	77.4	64.8	119.6
Mar-14	8	Fullerton St	10/04/14	TSP	ug/m ³	Every 6 Days	5	38.4	58.6	60.1	81.0
Feb-14	8	Fullerton St	14/03/14	TSP	ug/m ³	Every 6 Days	5	54.4	81.9	70.2	117.2
Jan-14	8	Fullerton St	19/02/14	TSP	ug/m ³	Every 6 Days	5	63.2	76.4	74.8	97.9
Dec-13	8	Fullerton St	20/01/14	TSP	ug/m ³	Every 6 Days	4	46.2	80.5	87.0	132.0
Nov-13	8	Fullerton St	20/12/13	TSP	ug/m ³	Every 6 Days	5	19.1	39.3	34.3	79.7
Oct-13	8	Fullerton St	20/12/13	TSP	ug/m ³	Every 6 Days	5	47.1	70.8	65.2	110.4
Sep-13	8	Fullerton St	14/10/13	TSP	ug/m ³	Every 6 Days	5	65.9	88.5	86.7	104.8
Aug-13	8	Fullerton St	11/09/13	TSP	ug/m ³	Every 6 Days	6	17.8	54.5	52.1	89.2
Jul-13	8	Fullerton St	13/08/13	TSP	ug/m ³	Every 6 Days	5	27.3	65.8	80.4	91.1
Jun-13	8	Fullerton St	12/07/13	TSP	ug/m ³	Every 6 Days	5	19.4	41.9	34.2	72.7
May-13	8	Fullerton St	3/07/13	TSP	ug/m ³	Every 6 Days	5	51.8	61.3	53.7	81.6
Apr-13	8	Fullerton St	15/05/13	TSP	ug/m ³	Every 6 Days	5	30.6	60.9	45.4	122.9
Mar-13	8	Fullerton St	12/04/13	TSP	ug/m ³	Every 6 Days	5	30.5	59.2	59.8	96.1
Feb-13	8	Fullerton St	2/04/13	TSP	ug/m ³	Every 6 Days	5	44	65	62	82
Jan-13	8	Fullerton St	11/02/13	TSP	ug/m ³	Every 6 Days	5	53	74	71	101
Dec-12	8	Fullerton St	18/01/12	TSP	ug/m ³	Every 6 Days	5	17	61	59	85
Nov-12	8	Fullerton St	13/11/12	TSP	ug/m ³	Every 6 Days	5	40	62	62	86
Oct-12	8	Fullerton St	1/11/12	TSP	ug/m ³	Every 6 Days	5	66	98	85	158
Sep-12	8	Fullerton St	16/10/12	TSP	ug/m ³	Every 6 Days	5	64	80	75	111
Aug-12	8	Fullerton St	14/09/12	TSP	ug/m ³	Every 6 Days	5	47.6	61.2	66.1	68.5
Jul-12	8	Fullerton St	10/08/12	TSP	ug/m ³	Every 6 Days	6	21	38.9	39.2	56
Jun-12	8	Fullerton St	12/07/12	TSP	ug/m ³	Every 6 Days	5	23	45	47	61
May-12	8	Fullerton St	28/06/12	TSP	ug/m ³	Every 6 Days	5	31	52.4	54	69
Apr-12	8	Fullerton St	28/06/12	TSP	ug/m ³	Every 6 Days	5	44	71	63	100